

Spitfire Chassis Lever

Machine Screws Inventory


Index

1. mClick
2. Chassis lever
3. Chassis body

Summary


Length	Total	mClick	Lever	Chassis Body
M2 round 8mm	1	1		
M2 round 12mm	5	5		
M3 flange 6mm	3			3
M3 round 8mm	2		2	
M3 c/sunk 6mm	3			3
M4 c/sunk 8mm	4			4
M4 c/sunk 10mm	9			9
M4 c/sunk 14mm	1		1	
M4 c/sunk 20mm	4		4	
M4 c/sunk 25mm	3	3		
M4 round 8mm	5		2	3
M4 round 12mm	1			1
M4 round 20mm	1		1	
M5 part thread 60mm	1		1	
	43			

1.mClick6003HXF




M2 round x 8mm	1	mClick lever bearing end
M2 round x 12mm	1 4	mClick lever hinge end mClick case cap fixture
M4 c/sunk x 25mm	3	mClick toothed cap to base

2.Lever



M3 round x 8mm	2	Damper to lever
M4 c/sunk x 14mm	1	Lever to mClick peg
M4 c/sunk x 20mm	4	Slider arm to lever
M4 round x 8m	2	Sprint retainer to lever
M4 round x 20mm	1	Lever extension to knob
M5 part thread x 60mm	1	Lever extension to lever

3.Case



M3 flange x 6mm	2 1	Wire joints Magnet cover fix
M3 c/sunk x 6mm	3	Lever plate to chassis
M4 c/sunk x 8mm	4	VESA dovetail to chassis case
M4 c/sunk x 10mm	2 3 4 (+nuts)	Chassis lid to chassis case mClick to chassis case VESA wedge to monitor stand
M4 round x 8mm	2 1	Chassis lid to chassis case Chassis lid rotation lock
M4 round x 12mm	1	Knurl screw fix to chassis lid